

Poisons in your home that are dangerous to inhale or drink.

Bedroom

- Hair spray
- Mothballs
- Nail preparations
- Air fresheners

Bathroom

- Deodorants
- Mouthwashes
- Vitamins
- Cough/Cold meds
- Prescription Meds.
- Children's Aspirin

Kitchen

- Ammonia
- Bleach
- Butane
- Cooking spray
- Whip cream
- Correction fluid
- Lye & drain cleaner
- Lighter fluid

What To Do

Communicate. Teach your children about this extremely dangerous abuse. If you suspect an inhalant problem, consult a school counselor, or drug and alcohol counselor immediately.

Education must start at a young age because inhalant use often starts in elementary school and can lead to further drug abuse or even death.

Garage

- Antifreeze
- Car wax
- Fertilizer
- Gasoline
- Kerosene
- Lime
- Liquid Solder
- Refrigerants
- Insecticides

Workshop

- Aerosols
- Sprays
- Felt tip markers
- Glue
- Adhesives
- Paint
- Paint thinner
- Rust remover

Signs of Inhalant Abuse:

- Red or runny nose
- Spots or sores around the mouth
- Chemical breath odor
- Drunk, dazed or dizzy appearance
- Nausea, loss of appetite
- Anxiety, excitability, irritability.